, t		ASOR V	205	Dart	Aerospa	ace Ltd.	
•	cấy, 2/23/2007 8:33:10 AM n Johnston	SPL	Process Sheet				
Customer Job Number Estimate Number P.O. Number This Issue Prsht Rev. First Issue Previous Run Written By Checked & Approc	: N/A  (: 2/23/2007 S.O. No. :  /: NC  : NA  : 30731  boved By : L  : Est: A 05.05.  Est Rev:B Now of	りは SMALL /MED FAB 1,02,23		: D33193 per : D3319 REV B per : N/A	Qty:	20 Um:	Eacl
Additional Produ	ct ,					A.	
Job Number:							
Seq. #:	Machine Or Operation:		Description :		-	*	
1.0	M1010S18GA		1010/1025/A21/6aA SHEET .C	)48			
	nent: Qty.: 3.4150 sf(s)/Unit 1010/1025/A21/6aA SHE Batch: <u>Ų103 67</u>	ET .048" Thick • <u><b>6</b></u>	04 sf(s) らみり	07/03/05		·•	
2.0	WATER JET		FLOW WATER JET				
Comn	nent: FLOW WATER JET  1-Cut as per Dwg D3319  Dwg Rev:  Prog Rev:   2-Deburr if necessary	MM 500	07/03/05	(I)		(2)	
3.0	QC2	ml or	NSPECT PARTS AS THEY CO	OME OFF MACHINE		(21)	
4.0	QC8		SECOND CHECK				
<b>Comn</b> 5.0	nent: SECOND CHECK SMALL FAB 1		SMALL & MEDIUM FAB RESC	DURCE 1	7/03/0	5 (21)	
Comn	nent: SMALL & MEDIUM FAB f Deburr if necessary	RESOURCE 1 りみり	07103/06	(T)			

Dart Aerospace Lt
-------------------

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
				•							

Part No:	PAR #:	_ Fault Category:		NCR: Yes No	DQA:	Date: _	
			A.	QA: N/C C	losed:	Date: _	

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B			Verification	Approval	Approval
DATE STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Section C		Chief Eng	QC Inspector	
						* .		
· · · · · · · · · · · · · · · · · ·								
							į.	
							,	
						pr. The second s		
		,			1		<i>, †</i>	
•				u u			•	
				4.	´	ي تسم	`	1/

NOTE: Date & initial all entries

Date:	Friday, 2/23/200	7 8:33:10 AM	•		
Ûser:	Kim Johnston		Process Sheet		
Custo	mer: CII-DADAA	1 Dart Helicopters Services	Drawing Name: WEARPLAT	E	
منابع	Silici. 00-DANOO	1 Bartionospiolo Corvioco			
-	mhar: 2000E	u.	Part Number: D33193		
	mber: 30905		Fait Number: Boores		
Job Numbe	r:				
	<u> </u>				
Seq. #:	Machine (	Or Operation:	Description :		
. 6.0	BRAKE NC		NC BRAKE		
С	omment: NC BRA		n	<b></b>	/ / )
	Form us	sing DT8326 & DT8261 as per Dwg	D3319 Rev: <u>15</u>	<i>S</i> ß	07/03/05
7.0	QC6		DIMENSIONAL CHECK	1 (881) 6 (810) 1110 1 1811 1851	
C	omment: DIMEN	SIONAL CHECK	<u> </u>	M07/03/E	6 (21)
8.0	LARGE FAE	31	LARGE FABRICATION RESOURCE 1		
*			•		
C	omment: LARGE	FABRICATION RESOURCE 1	B		
		ard surface using D3319-3T2 per Q			_
	•	Part Number Description	Batch ( <u>つ<i>1</i>(3031),                                    </u>	TO 57	02 n (F)
		I/A 7560 Hardcoat Rod	VISUAL WELDING INSPECTION	FUOT	-) IN (3)
9.0	QC9	1101	VISUAL WELDING INSPECTION	1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
C	omment: \/ISLIAI	. WELDING INSPECTION		Mar 1,22 /12	(5)
10.0	POWDER C		POWDER COATING	NO 402/10	
10.0					$(\mathcal{C}_{\mathcal{C}})$
		MIIII 1/1/	)/ 60/		(3)
Co	mment: DOWDE	TD OO ATINO			1.
	Powder	ER COATING Coat Grey Sandtex (Ref: 4.3.5.6) a	as per QSI 005 4.3 M-L	07/03	3//5
11.0	QC3		INSPECT POWDER COAT/CHEMICAL CONV	ERSION	
			-		
		A (	110		
Co	omment: INSPEC	T POWDER COAT	7/03/15/51		
12.0	PACKAGINO	G1 /	PACKAGING RESOURCE #1		
					`
Co	omment: PACKA	GING RESOURCE #1			
	•		nt fine point marker with the following:		
•		PDA, Dart Aerospace Ltd.			
		319-3, B/N: BXXXXX			
		duct Eligibility see PDA05-18		12	
	and Sto Location	/-//	offelisted.	//1/	
	Location	· Syl	-1/100/10 W		
			/ /		

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CH	IANGES		-		
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #: Fault Category:	NCR: Yes	√(a) no	<b>⊥</b> <b>∆</b> · €	X <b>D-4</b> A	7/03/15

QA: N/C Closed: \_\_\_\_ Date: \_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC	Corrective Action Section B		Corrective Action Section B		Varification	A		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC inspector		
							#:			
			·							

NOTE: Date & initial all entries

Date:

Friday, 2/23/2007 8:33:10 AM

Üser:

Kim Johnston

Customer: CU-DAR001 Dart Helicopters Services

**Process Sheet** Drawing Name: WEARPLATE

Job Number: 30905

Part Number: D33193

Job Number:



Seq. #:

Machine Or Operation:

Description:

13.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion-




M P163.16

Dart Ae	rospace Ltd									
W/O:		WORK ORDER CHANGES								
DATE	STEP	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
				,						
						#A				
Part No:		PAR #:	Fault Category:	NCR: Y	es No DQ	A:	Date:			
				QA	\: N/C Close	d:	Date: _			
NCR:			WORK ORDER NON-COM	IFORMANCE (N	CR)					
	· · · · · · · · · · · · · · · · · · ·						·····			


NCR:			WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B			Annanal	A		
DATE STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
						,				
						,				


NOTE: Date & initial all entries





**APPLY 7560** 





### D3319-3 WEARPLATE

Z

DOCUMENT IS

Copyright © 2004 by DART AEROSPACE LTD

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE


- F 68

ANY PURPOSE


OR COPIED

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 18 GAUGE (0.048 THICK)
- 2) FINISH: POWDER COAT GREY SANDTEX (REF.4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) PART IS SYMMETRICAL ABOUT CENTERLINE
- 5) ALL DIMENSIONS IN INCHES
- 6) WELD PER DART QSI 004
- 7) IDENTIFY ON INSIDE SURFACE AS INDICATED USING FINE POINT PERMANENT INK MARKER: "TCCA-PDA, DART AEROSPACE LTD., P/N D3319-3 B/N BXXXXX, FOR PRODUCT ELIGIBILITY SEE PDA05-18"





-



BENDING DETAIL

#### D3319-5 WEARPLATE

DOCUMENT

ೲ

58


¥


PURPOSE

ဝ္က

COPIED

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 18 GAUGE (0.048 THICK)
- 2) FINISH: POWDER COAT GREY SANDTEX (REF.4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) PART IS SYMMETRICAL ABOUT CENTERLINE
- 5) ALL DIMENSIONS IN INCHES
- 6) WELD PER DART QSI 004
- 7) IDENTIFY ON INSIDE SURFACE AS INDICATED USING FINE POINT PERMANENT INK MARKER: "TCCA-PDA, DART AEROSPACE LTD., P/N D3319-5 B/N BXXXXX, FOR PRODUCT ELIGIBILITY SEE PDA05-18"





- 2) FINISH: POWDER COAT GREY SANDTEX (REF.4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) PART IS SYMMETRICAL ABOUT CENTERLINE
- 5) ALL DIMENSIONS IN INCHES
- 6) WELD PER DART QSI 004

DOCUMENT

ಪ


Copyright © 2004 by DART AEROSPACE LTD

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

7) IDENTIFY ON INSIDE SURFACE AS INDICATED USING FINE POINT PERMANENT INK MARKER: "TCCA-PDA, DART AEROSPACE LTD., P/N D3319-7 B/N BXXXXX. FOR PRODUCT ELIGIBILITY SEE PDA05-18"



DESIGN PH	DRAWN BY		ROSPACE LTD y, ontario, canada
CHECKED ,	APPROVED A	DRAWING NO.	REV. B
#	#	D3319	SHEET 5 OF 5
DATE		TITLE	SCALE
05.06.06		WEARPLATE	1:3



Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	30405
DARI AEROSPACE LID		2210-2
Description: WONK DIATE	Part Number:	D221.1.2
		Page 1 of 1
Inspection Dwg: 03319 Rev: R		1

# FIRST ARTICLE INSPECTION CHECKLIST

Accept

First Article

Actual

**Tolerance** 

Prototype

Method of

Inspection

Comments

Dimension		Dimension					
Taranctar	by template	N3319-3T	7 /				
LNSPULLED	O TOWN						
		-					
							to a company of the second sec
Appellate contact the contact of the							
Color State Color							AND THE RESERVE OF THE PARTY OF
						•	· · · · · · · · · · · · · · · · · · ·
				_		-	A second
							A SECOND STREET, STREE
		<u> </u>					
		e e					An extension of the second
The second secon							
The second section of the second section is a second section of the							- A secondary of the Application (Application of the
			_				
							Marie (E. Chapter and and Arthur County and Arthur County (County)
							The second secon
		+					***
						The same of the sa	
							The procedure with the state of
	-						
			- 1		n-statune	Approval:	And the second s
Measured by: M.M		Audited by:	M		Prototype Approval:		particular and part of goods the particular particular of the second
Date:	07 03 05	Date:	07/03/	105		Date:	
				<u></u>		Revised by	y Approved
Rev Date	Change New Issue					KJ/JLM	
A }	New issue						<del></del> :